

## Dr. Scholl's® Duragel® Callus Remover

The Drug labeling information on this website may differ from the product labeling on purchased product. Please consult your purchased package for information specific to that product.

<b>Drug Facts</b>	
<b>Active ingredient</b> Salicylic acid 40%.....	<b>Purpose</b> .....Callus remover
<b>Uses</b>	
<ul style="list-style-type: none"> <li>▪ for the removal of calluses</li> <li>▪ relieves pain by removing calluses</li> </ul>	
<b>Warnings</b>	
<b>For external use only</b>	
<b>Do not use</b>	
<ul style="list-style-type: none"> <li>▪ if you are a diabetic</li> <li>▪ if you have poor blood circulation</li> <li>▪ on irritated skin or any area that is infected or reddened</li> </ul>	
<b>Stop use and ask a doctor if</b> discomfort lasts	
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b>	
<ul style="list-style-type: none"> <li>▪ wash affected area and dry thoroughly</li> <li>▪ if necessary, cut medicated disc to fit callus</li> <li>▪ apply medicated disc with sticky side adhering to skin</li> <li>▪ cover medicated disc with enclosed cushion</li> <li>▪ after 48 hours, remove medicated disc</li> <li>▪ repeat procedure every 48 hours as needed for up to 14 days (until callus is removed)</li> <li>▪ may soak callus in warm water for 5 minutes to assist in removal</li> </ul>	
<b>Other information</b>	
<ul style="list-style-type: none"> <li>▪ Store between 20° to 25°C (68° to 77°F).</li> <li>▪ Protect from excessive heat (temperatures above 40°C (104°F)).</li> </ul>	
<b>Inactive ingredients</b>	
antioxidant (CAS 991-84-4), iron oxides, mineral oil, petroleum hydrocarbon resin, silicon dioxide, synthetic polyisoprene rubber, talc	
<b>Questions?</b> 1- 866-360-3226	